Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	van-rietschote-hans.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:31
S2	1	van-rietschote-hans\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:33
S3	0	saptarshi-mahesh-p\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:34
S4	0	hobbs-craig-w\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:38
S6	10	"6463509"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:58
S7	3	S6 and virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 11:18
S8	4	S6 and (cache near5 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 13:35
S9	6	("6763440" "6003065" "6789103"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 13:37

S10	1	S9 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 13:37
S11	6	("5109486" "5375207" "5555374" "5590288" "5802290" "5850573").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/01 13:57
S12	18	("6421739" "6694346" "6718538" "6757778" "20030028861" "20020129078" "20040010787" "20020049869" "20020099753").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:26
S13	0	S12 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 14:00
S14	20	("6370614" "6496847" "6397242" "6075938" "5408617" "5257386" "6151618" "20030033431" "20010016879" "5944782").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 14:18
S15	5	S14 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 14:21
S16	28	("5872931" "5852724" "6029166" "6363462" "6341329" "6324627" "6298428" "6298390" "5621912" "4969092" "4912628" "6230246" "6493811" "6438642").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 14:20
S17	3	S16 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:03
S18	2	"6370646".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:03

	-		110 000115	00	055	2006/06/24 46 55
S19	1	check\$3 with ((first near2 storage) or cache or buffer or (local near2 memory)) with configur\$3 with boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:29
S20	50	check\$3 with ((first near2 storage) or cache or buffer or (local near2 memory)) with boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:55
S21	795	image near5 repository	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:58
S22	0	S20 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:31
S23	73	S21 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:32
S24	58	S23 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:43
S25	1783	((first near2 storage) or cache or buffer or (local near2 memory)) with boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:55
S26	5	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:55

S27	116411	image near5 (repository or storage or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 16:59
S28	5	S25 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 17:00
S29	133	S25 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 17:00
S30	117	S29 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 17:01
S31	107	S30 and read	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 17:01
S32	86	S31 and write	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:42
S33	334	711/125.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:42
S34	307	S33 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:32

S35	15	S34 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/06/02 09:50
S36	1972	((local or first or primary or private) near5 (memory or cache or storage)) with boot\$	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:52
S37	1072	S36 and identif\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:54
S38	487	S37 and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:56
S39	136	S37 and (image near2 (repository or storage or memory or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:57
S40	1	S39 and (check\$3 near5 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:59
S41	22	S39 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 09:59
S42	21	S41 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 10:00

Page 5

S43	1972	((local or first or primary or private) near5 (memory or cache or storage)) with boot\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:10
S44	1072	S43 and identif\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:10
S45	136	S44 and (image near2 (repository or storage or memory or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:28
S46		(software near2 image) with provision\$3 with computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/03 09:31
S47	1	S46 and boot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/03 09:29
S48	22	(software near2 image) with boot\$3 with computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/03 09:31
S49	14	S48 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:41
S50	88	boot\$3 with software with (cache or local near2 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:48

			· · · · · · · · · · · · · · · · · · ·	T		
S51	67	S50 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:49
S52	15	S51 and ((object or data or page) near2 (identif\$7 or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:42
S53	0	boot\$3 with software with (local adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:48
S54	61	boot\$3 with software with (local near2 (cache or storage or memory or RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:49
S55	52	S54 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 09:59
S56	398	trap\$3 near2 read	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/03 09:59
S57	268	trap\$3 near2 write	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/03 09:59
S58	69	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/03 09:59

S59	65	S58 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 11:56
S60	15	S59 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 11:54
S61	819	computer with software with provision\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 11:55
S62	74	S61 and boot\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 11:56
S63	49	S62 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:20
S64	9	S63 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 11:58
S65	47	S63 and (cache or (local nea2 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 12:30
S66	3	S65 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:06

			I	Г		
S67	2	S65 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 12:03
S68	5	"6477624"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 12:30
S69	848	(711/161-162.ccls.) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:08
S70	0	(711/161-162.ccls.) and (speed\$1up near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:09
S71	98	(711/161-162.ccls.) and (buffer near2 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:09
S72	87	S71 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:09
S73	11	S72 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:17
S74	1466	(writ\$3 or storing) with (requested near2 data) with (cache or (local or buffer) near5 (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:19

S75	1264	S74 and (@ad<"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:20
S76	798	S75 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:21
S77	33	S76 and boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/03 14:22

Page 10